


10


INDEX MAPS.

T.10 N R. 3 W 2nd Mer.

T.

R.

Mer.



(P) The figures on the lines refer to the page.

449

Township N^o. 10. North of Range N^o. 3 Trust 2nd Mar. (Ind.)
ch. lth.

		South Boundary
East		On a Random line between Towns N ^o . 9 & 10 North Range N ^o . 3 West. 6 miles & 139 rods full deck North of town corner. Corrected to this
West		On the South Boundary of sec. 36. T. N ^o . 10 R. N ^o . 3 2 nd Mar.
40.00		Set a post for the cor. of 1/4 sec. from which a Poplar 18 in dia. bears N 16° E. 18 rods west; to a Beech 30 " " \$1677.28 "
80.00		Set a post for the cor. of sec. 35 & 36 from which a Beech 28 in dia. bears N 81° E. 28 rods west; to a Sugar. 10 " " \$3277.11 "
		York lands; Timber Beech Poplar &c
West		On the South Boundary of sec. 35 T. N ^o . 10 R. N ^o . 3 2 nd Mar. Ind.
0.50		Iota Brook 10 rods wide, corner N.W.
40.00		Set a post for the cor. of 1/4 sec. from which a Beech 12 in dia. bears N 70° W. 8 rods north; to a 10 " 5 " " \$32 E. 18 " "
80.00		Set a post for the cor. of sec. 34 & 35 from which a H. Oak 16 in dia. bears \$52 E. 50 rods north; to a Beech 15 " " \$1977.22 "
		Lands of flat and timber Beech on the 1st 1/2 mile On the 2 nd 1/2 miles Good land Timber Oak & Sugar
West		On the South Boundary of sec. 34 T. N ^o . 10 R. N ^o . 3 2 nd .
40.00		Set a post for the cor. of 1/4 sec. from which a Sugar. 14 in dia. bears \$38 E. 20 rods north west; to a 10 " 14 " " \$1197.21 "
80.00		Set a post for the cor. of sec. 33 & 34 from which a Beech 6 in dia. bears N 12 E. 10 rods north; to a

S. N.º 10. N.R. N.º 377. 2nd Mer. And.

Bush 13 in deer hairs S. 33° W. 31 units dist
Sand soil and timber same as last mile

West On the South Boundary of sec. 33 S. N.º 10. N.R.
R. N.º 377. 2nd Mer.

40.00 Set a post for the cor. of 1/4 acr. from which a
W. Oak. 5 in. dia. hairs N. 73° E. 4 units dist; 10^o
Sorwood 3, " " S. 73° N. 8, "

68.50 Tra Brook 30 units wide, Course N. N.

80.00 Set a post for the cor. of acr. 32.133 from which a
Sugar 13 in deer hairs N. 58° E. 4 units dist; 10^o
Loc. 18, " " S. 35° N. 30, "
Sand soil and timber same as last mile

West On the South Boundary of sec. 32 S. N.º 10. N.R.
R. N.º 377. 2nd Mer.

2.50 Tra Brook. 30 units wide, Course S. W.

40.00 Set a post for the cor. of 1/4 acr. from which a
Sugar 14 in. dia. hairs S. 47° N. 6 units dist; 10^o
Bush. 12, " " N. 30° E. 12, "

80.00 Set a post for the cor. of acr. 31.032 from which a
Ash 40 in. dia. hairs N. 44° E. 14 units dist; 10^o
Bush. 13, " " S. 53° W. 12, "
Sand soil; Timber Bush.

West On the South Boundary of sec. 31 S. N.º 10. N.R.
R. N.º 377.

40.00 Set a post for the cor. of 1/4 acr. from which a
Sugar 15 in. dia. hairs N. 37° E. 15 units dist; 10^o
Bush 6, " " S. 60° W. 18, "

81.39 Hell 100 units South of the Temple's post cor. of
Towns 9 & 10. N.R. S. 374 W. made at a post from
which a Hackberry 15 in. dia. hairs N. 47° N. 13 ltrs

S. N^o 10 N.R. N^o 3 W. Quad. Mar. Sec^d

dish; and a Huckleberry 13 in. diam. bears S 53° E. 5 links distant.

East Boundary

B143

April 10 1871

- North On the East Boundary of sec. 36. T. N^o 10 N.R. N^o 3 W.
From the cor. of Town 9+ 1/4 N. 98° E. 21 3/4 ft.
- 16.00 To a Brook 12 links wide, Course N.W.
" an R. Oak, 30 in diam. Stands in the bri.
- 40.00 Set apart for the cor. of 1/6 sec. From which a
Elder 15 in. diam. bears S 75° E. 5 links dish; 1 w
Beech 14, " " S 78° N. 39", "
- 64.00 To a W. Oak. 18 in diam. Stands in the bri.
- 76.00 To a Brook 10 links wide, Course N.W.
Set apart for the cor. of sec. 25 & 36 from which a
Beech 10 in diam. bears S 64° E. 12 1/2 links dish; 1 o
Ld. 12, " " S 78° N. 50", "
- Flat Beech stand; on the 1st 1/2 mile; Sandy
soil; Timber Elder & Maple.

- North On the East Boundary of sec. 25 T. N^o 10 N.R. N^o 3 W.
Set apart for the cor. of 1/4 sec. From which a
Elder 6 in. diam. bears N 37° N. 2 links dish; 1 w
Beech 5, " " S 35° E. 30", "
- 65.50 To a R. Oak. 30 in diam. Stands in the bri.
- 80.00 Set apart for the cor. of 1/4 sec. 24 1/2. From which a
Sugar. 13 in. diam. bears N 74° E. 15 links dish; 1 a
Beech 17, " " N 50° N. 19", "
Soil sandy and Timber same as last mile.

- North On the East Boundary of sec. 24. T. N^o 10 N.R. N^o 3 W.
To an Elder 24 in diam. Stands in the bri.
- 32.50 Set apart for the cor. of 1/6 sec. From which a

P. N° 10. S.R. N.R. 3rd Mer. Ind.

	Wicks 12 mi. dist. bears S51°N. 11 links dist; to
	Beech 12, " . S71°E. 13, "
46.00	Str Brook 12 mi. dist., Course N.E.
65.50	" " H. 8, " " "
811.00	Set apart for the cor. of sec. 13 & 24 from which a Sugar. 17 in. dia. bears S10°N. 30 links dist; to H. 14, " " N25°E. 37, " Good land; timber Beech Sugar Poplars.

	North South East Boundary of sec 13. S. N° 10. S.R. 3 N
13.00	To a Poplar. 40 in. dia. stands in the line
37.50	" " Brook 8 links wide, Course N.E.
40.00	Set apart for the cor. of 1/4 sec. from which a Beech 8 in. dia. bears S12°E. 13 links dist; to H. 10, " " S32°N. 21, "
74.50	To a Spring run, 8 links wide, Course N.E.
80.00	Set apart for the cor. of sec. 12 & 13 from which a Beech. 9 in. dia. bears N37°E. 21 links dist; to H. 12, " " S83°N. 28, " Good soil and timber same as last mile.

	North South East Boundary of sec. 12 S. N° 10. S.R. N. 3 N
21.00	To a Poplar. 48 in. dia. stands in the line
40.00	Set apart for the cor. of the 1/4 sec. from which a Beech. 16 in. dia. bears S8°N. 29 links dist; to Dogwood 4, " " N55°E. 29, "
55.00	Str Brook 20 links wide, Course N.W.
80.00	Set apart for the cor. of sec. 12 15 & 12 from which a Poplar. 22 in. dia. bears S21°E. 21 links dist; to Beech. 7, " " N75°N. 17, " Good Beech land; 2 nd p. mile hilly Beech land.

D. N.º 10 D. R. N.º 3 M.º 2nd Mr. Ind.

North	On the East Boundary of Sec. 1 T. N. 10. S. R. No.
	3 T. 2nd. Min.
10.00	To a Bush 14 in. dia. Stands in the line Set a post for the cor. of 1/4 sec. from which a Sycamore 57 in dia. bears N 47° N. 36 lbs. due N. Hackberry 14 " " \$47 E. 20 "
51.00	To White River 570 links wide, Corne Sy.
80.00	Set a post for the cor. of Toms N. 10. 10. S. 11. 11 N.R. 213 ft. from which a Hackberry 13 in dia. bears N 73° N. 9 links due S. No. 18 " " \$23 E. 8 " " Same rod ends timber same as last. mile.

North Boundary

8174

East	On a Random Line On the Earth Boundary of 33. T. N° 11. M.R. N° 377
40.00	Set a temporary post for the cor. of '4 sec Soak Brook 10 min. Course N.W.
42.50	" " " 75 " " " S.
70.00	" " " 75 " " " S.
80.00	Set a post for the cor. of sec. 33134. T. N° 11. M.R. 377

U. S. G. O. D. R. No 377. 2nd Mar. Ind.

Middling goods Beech. land.

East On the South Boundry of sec. 35. T. R. 11. N.P.
N. 377.

East On the South Boundary of sec. 36 T. N. R. 11. N.
R. R. 3 N. Random line
13.571 To a Brook 40 rods on the course of N.
40.00 Set a trumpet post for the cor. of 1/4 sec.
80.00 Struck the Township cor. for T. 10 R. 11 N.
R. S. 2 & 3 N.

West Correced and marked the line between Towns
1044 N.R. M^o 377

West On the South Boundary of sec. 36. T. N. 11. R.R. No
37.
40.00 Set post on the true line for the cor. of 1/4 sec from which
Walnut & 1/4 ac. deer traps. N 59° W. 22 the dist; & a
Buckeye 12,, " " \$84 E. 81,,
80.00 Set the tempy post on the true line for the cor. of sec
35 & 36 T N. 11. R.R. N. 37 from which
Sugar 1/4 ac. deer traps \$75 E 17 1/2 the dist; & a

D. N. 10. A. R. N. 3 YR. 2nd Mer. Ind.

Sugar 12 in deer. bears \$1577.30 buks each;

West	On the tree line On the South Boundary of sec. 35 T. N. 11. R. R. N. 3 T. Set the temp. post on the tree line for the cor. of 1/4 sec from which an Oak 24 in deer. bears \$1582.3 buks each; to Walnut 12 " " \$7477.32 "
40.00	Set the temp. post on the tree line for the cor. of 1/4 sec from which an Oak 24 in deer. bears \$1582.3 buks each; to Walnut 12 " " \$7477.32 "
80.00	Set the temp. post on the tree line for the cor. of sec. 34135. T. N. 11. R. R. N. 3 T. from which a Buck 16 in deer. bears \$138.52 buks each; to Oak 20 " " \$1277.30 "
West	On the tree line On the South Boundary of sec. 34 T. N. 11. R. R. N. 3 T. 0 Set the post on the tree line in fallen timber No bearing! Set the temp. post on the tree line for the cor. of sec 33134 T. N. 11. R. R. N. 3 T. from which a Buck 10 in deer. bears \$818.52 buks each; to Oak 16 " " \$4577.32 "
West	On the tree line On the South Boundary of sec. 33 T. N. 11. R. R. N. 3 T. Set the temp. post on the tree line for the cor. of 1/4 sec. from which a Buck 6 in deer. bears \$13077.83 buks each; to Oak 14 " " \$458.34 "
80.00	Set a post for the cor. of sec. 32133 on the tree line from which an oak 14 in deer. bears \$198.32 buks each and an Oak 12 " " \$4377.14 "
West	On the tree line On the South Boundary of sec. 32

24

244

456

J. N° 11. N.P. N° 377. 2nd Mer. In a:

	J. N° 11. N.P. N° 377
40.00	Set a post on the true line for the cor. of 14 fm which a Bush 9 in dia. bears N55°N. 21 ft. dist. and a Sugar 14" " " N10°E. 23 "
80.00	Set a post for the cor. of sec. 31 130 fm which a Bush 16 in dia. bears N49°E. 17 ft. dist. to Lm 15 " " S40°N. 31 "
W.E. 1	On the true line On the South Boundary of sec 31 J. N° 11. N.P. N° 377
40.00	Set the trumpet post on the true line for the cor. of 14 fm from which a Hognose 3 in dia. bears S85°E. 2 ft. dist; & Sugar. 12" " " N50°N. 15 "
80.00	To Township Cr.

West Boundary

B172

April 29. 1812

North	On the East Boundary of sec 36 J. N° 10 N.P. N° 4 N. from the cor. of S. 9 & 11 N.P. 384 fm To a Sycamore 100 in dia. stands on the line.
40.00	Set a post for the cor. of 14 fm from which a Sycamore 48 in dia. bears N44°E. 12 ft. dist. and a Hackberry 3 " " S57°N. 21 "
44.00	To N. River Curve 9. 77.
80.00	Set a post for the cor. of sec. 25 136 fm which a Bush. 10 in dia. bears S24°E. 21 ft. dist; & Sugar. 20" " " N39°N. 23 .. Land does not run bottom timber Hackberry to

North	On the East Boundary of sec. 25 J. N° 10 N.P. N° 4 N 2 nd Mer.
14.00	To a Bush 18 in dia. stands on the line

T. N. 10. M.R. N. 3 P. 2nd Mer. Ind.

40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a Sugar. 13 in dist. bears S 4 E. 25 mts dist; & a Buck. 13 " " N 33 77. 26 " "
75.00	To a Brook 10 mts wide, Comes S. W.
80.00	Set a post for the cor. of lot. 24. 135 from which a Buck. 16 in dist. bears S 27 E. 23 mts dist; & a Logwood 4 " " N 11 77. 25 " " Pretty good land; limits Beach, Sugar &

North	On the East Boundary of sec. 24 T. N. 10. M.R. N. 4 P. Set a post for the cor. of $\frac{1}{4}$ ac. from which a Buck. 14 in dist. bears S 43 77. 19 mts dist; & a Hd. — " " N 52 E. 17 " "
45.00	To a N. Oak, 17 in dist. Stands in the line.
67.00	" " Brook. 8 mts wide, Comes S. W.
80.00	Set a post for the cor. of lot. 13. 824 from which a Sugar. 14 in dist. bears N 42 E. 11 mts dist; & a Hickory 5 " " S 64 77. 39 " " Hilly upland; limits Beach, Sugar, Poplar &

North	On the East Boundary of sec. 13. T. N. 10. M.R. N. 4 P. Set a post for the cor. of $\frac{1}{4}$ ac. from which a Buck. 16 in dist. bears S 27 77. 16 mts dist; & a Sugar. 10 " " N 42 E. 31 " "
71.50	To a N. Oak. 60 in dist. Stands in the line
80.00	Set a post for the cor. of lot. 13. 813 from which a Sugar. 16 in dist. bears S 22 77. 15 mts dist; & a Hd. 9 " " N 73 E. 30 " " Hilly rich land; limits Sugar, Beach &

North	On the East Boundary of sec. 13. T. N. 10. M.R. N. 4 P. To a Buck. 14 in dist. Stands in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a

C. N. 10. N. R. N. 3 M. 2nd Mer. Ind.

	M. Oak 60 in deer. trees \$13 E. 25 links dist; to Buch. 18 " " " N 15 E. 19. " "
80.00	Set apart for the cor. of sec. 16 & 19 from which a Buch 16 in deer. trees \$10 N. 30 links dist; to Sugar. 9 " " N 30 E. 26. " " Sand rolling; timber Buch. Sugar, etc

North	On the East Boundary of Sec. 1 C. N. 10. N. R. N. 3 M.
11.00	For Poplar. 30 m. deer. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 10 in deer. trees \$7 E. 19 links dist; to Ld. 10 " " West 30. "
80.00	Set apart for the cor. of Towns 10. 10. & 11. 11 N. P. 3 & 4 N. from which a M. Oak. 30 in deer. trees \$42 E. 34 links dist; to Buch. 18 " " " N 17 M. 38 " " Pretty good land; timber Buch. Sugars, etc Surveyed by James Holmes L.S.

	Subdivisions	R. 5° 25'
West	Between Sec. 24 & 25. C. N. 10. N. R. N. 3 M.	
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 6 in deer. trees \$84 E. 9 links dist; to Ld. 10 " " " N 31 M. 23. "	
80.00	Set apart for the cor. of sec. 23. 24 25 & 26; a Buch. 10 in deer. stands for the cor. from which a M. Ash. 14 in deer. trees N 8 M. 10 links dist; Sand rolling & good for farming, East of N. P. Buch. Poplar. Ash. Oak. Walnut Sugar &c	

South	On a Random line between Sec. 25 & 26 C. N. 10. N. R. N. 3 M.	R. 7° 10'
-------	--	-----------

S. N° 10. N.R. N° 3 M. 2nd Mar. Ind.

- 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ ac.
To a Brook. 30 miles mid., corner N.Y.Y.
Intersection the E & West line 19 miles West of the post.
cor. of sec. 25, 26, 35 & 36.
Some land made some upland rather wet; Timber
Beech, Sugar, Oak & Elm.

- North On the town line between Sec. 25 & 26 T. N° 10. N.R. N° 3 N.Y.Y.
39.58 Set the temporary post at the 200. dist. on the town line
for the cor. of $\frac{1}{4}$ ac. from which a
Sugar. 14 in. dia. beam \$17 N. 11 miles dist.; 1 m.
Beech. 18 " " N 40 E. 20 " "
49.16 To the post cor. of sec. 23, 24, 25 & 26.

- West Between Lw. 23 & 26 T. N° 10. N.R. N° 3 N.Y.Y. & 520
40.00 Set a post for the cor. of the $\frac{1}{4}$ ac. from which a
Hickory 13 in dia. beam N 54 E. 10 miles dist.; 1 m.
W. Oak. 15 " " \$55 N. 24 " "
42.00 To a Brook 20 miles mid., corner N.Y.Y.
80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which a
Beech. 13 in dia. beam \$16 N. 3 miles dist.; 1 m.
W. Oak. 30 " " N 3 E. 16 " "
Some land made good for farming; Timber same
as last time.

- North Between Lw. 22, 23 T. N° 10. N.R. N° 3 N.Y.Y. & 70
40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
Sugar. 6 in dia. beam. N 50 E. 10 miles dist.; 1 m.
L. 10 " " \$44 N. 18 " "
62.00 To a Brook. 30 miles mid., corner N.Y.Y.
80.00 Set a post for the cor. of sec. 14, 15, 22, & 23 from which a
Beech. 12 in dia. beam \$19 N. 13 miles dist.; 1 m.
L. 14 " " \$16 E. 22 " "

C. N. 10. M.R. N. 3 P. 2nd Mer., Ind.

Part of this mile broken and good for farming
Timber same as last mile.

-
- | | |
|-------|--|
| East | Bethel Sec. 14 1/2 3. T. N. 10. M.R. N. 3 P. v. 5. 20' |
| 40.00 | Set a post for the cor. of 1/4 sec. from which a
Beech. 5 in. dia. bears S 46 E. 3 miles due S; rays
W. ash. 14. " " N 84 W. 19. " |
| 80.00 | Set a post for the cor. of sec. 13. 14. 23 & 24 from which a
Beech. 12 in. dia. bears S 77 E. 5 miles due S; rays
Sugar. 12. " " N 54 W. 21. " |
| | Sands broken with sink holes; rich soil; Timber
same as last mile. |
-

- | | |
|-------|--|
| South | On a random line between Sec. 23 & 24 T. N. 10. M.R. 3 P. |
| 40.00 | Set a temp. post for the cor. of 1/4 sec. |
| 80.00 | Intersection the East Boundary line 1/2 miles West of the
post corner of sec. 23. 24. 25 & 26
Sands nothing and good 2 nd rate for farming
Timber same as last mile. |
-

- | | |
|-------|---|
| North | On the true line between Sec. 23 & 24 T. N. 10. M.R. 3 P. |
| 40.04 | Set the temp. post at the cor. due on the true line for
the cor. of 1/4 sec. from which a
W. Ash. 9 in. dia. bears S 16 W. 23 miles due S; ends a
Hickory 7. " " bears N 34 E. 10. " |
| 80.08 | To the post cor. of sec. 13. 14. 23 & 24 |
-

- | | |
|-------|---|
| East | On a random line between Sec. 13 & 24 T. N. 10. M.R.
N. 3 P. |
| 40.00 | Set a temp. post for the cor. of 1/4 sec. |
| 81.00 | Intersection the East Boundary 1/2 miles North
of the post cor. of sec. 13 & 24
Sands middling good for farming; good 2 nd rate. |

461

N^o 10. N.R. N^o 377. 2nd Mer. Ind.

Timber same as last mile

West On the true line between Sec. 13 & 24. T. N^o 10. N.R. N^o 377.
 40.50 Set the temporary post at the ave. dist. on the true line
 for the cor. of $\frac{1}{4}$ sec. from which a
 Buck. 6 in. dia. bears N 80° W. 13 mts. dist; 1 a.,
 W. Ash. 24. " " N 19° E. 12. " "
 So the post cor. of sec. 13 14. 23. 124

North Between Sec. 13 & 14. T. N^o 10. N.R. N^o 377.
 40.00 Set a post for the cor. of the $\frac{1}{4}$ sec. from which a
 Buck. 11 in. dia. bears. N 48° W. 16 mts. dist; 1 a.,
 110. 14 " " S 83° E. 38. " "
 Set a post for the cor. of sec 11. 12. 13. 14. from which a
 Sugar. 15 in dia. bears N 14° E. 13. 1 mts. dist; 1 a.,
 Buck. 10. " " \$15. 97. 34. "
 Sand rolling and R^t rate for farming.
 Timber Buck. Sugar. Walnut & Poplar.

East On a Random line between Sec. 12 & 13. T. N^o 10. N.R. N^o 377.
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
 80.58 Intersect the East Boundary 10 with North of the
 post cor. of sec. 12 & 13.
 Land West is good for farming; the East is rather
 broken with sink holes.

West On the true line between Sec. 12 & 13. T. N^o 10. N.R. N^o 377.
 40.29 Set the temporary post at the ave. dist. on the true line for
 the cor. of $\frac{1}{4}$ sec. from which a
 Maple. 9 in. dia. bears S 9° E. 13 mts. dist; 1 a.,
 Buck. 14. " " N 53° W. 18. " "
 So the post cor. of sec. 11. 12. 13 & 14

V. N. 10. N. R. N. 3. M. D. Mar. Ins.

North Between Sat. 1. & 13. I. N. 10. N. R. N. 3. M. v. 6.45'
 40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
 Dogwood 6 in. dia. bears N 13 E. 17 miles dist; to
 "Beech. 10" " " \$27.77.16 " "
 80.00 Set a post for the cor. of Sat. 1. 2. 11. & 12. from which a
 Sugar 18 in. dia. bears S 63 E. 26 miles dist; to
 "Loc. 15" " " N 59 W. 14 " "
 Goods including flour and goods for farming
 Timber same as last mile

East On Random line between Sat. 1. & 13. I. N. 10. N. R. N. 3. M.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ ac.
 66.00 To a Brook 13 miles wide, comes N.
 80.00 Just seated the AT&T or Range line 31. miles N. of
 the post cor. of Sat. 1. & 12.
 Sawdust either broken. Timber same, Goods including
 goods for farming

West On the true line between Sat. 1. & 13. I. N. 10. N. R. N. 3. M.
 40.00 Set the temp. post at the ave. dist. on the true line
 off cor. of $\frac{1}{4}$ ac. from which a
 Beech. 12 in. dia. bears S 61 E. 18 miles dist; to
 "Loc. 14" " " N 48 W. 40 " .
 80.00 To the post cor. of Sat. 1. 2. 11. & 12.

North Between Sat. 1. & 13. I. N. 10. N. R. N. 3. M. v. 7.10
 40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
 Poplar 10 in. dia. bears S 42 E. 50 miles dist; A small
 Brook. — miles wide, comes N.E.
 57.58 To the Left Bank of White River. set a post for the
 cor. of Sat. 1. & 12. from which a
 Beech. 12 in. dia. bears S 76 E. 23 miles dist; to
 Sugar. 15 " " \$20.77.23 " "

S. N. 10. M.R. N. 377. Quad. Min. Ind.

North	Between Ls. 32 & 33 S. N. 10. M.R. N. 377. v 730
2.50	To a Brook. 15 miles west, Contra Post, Set a post for the cor. of 1/4 sec. from which a Rock 6 in. dia. bears North. 15 miles west; 1 a.
40.00	Sugar. 9" " \$20 E. 34" "
80.00	Set a post for the cor. of Ls. 28, 29, 32 & 33 from which a Rock 15 in. dia. bears S. 36 E. 4 miles west; 1 a.
	110. 14" " \$6377.37" "
	Same soil in low hills; good for farming Timber. Birch, Sugar, Poplar, Ash etc.

East	On a Random line between Ls. 28 & 33 S. N. 10. M.R. N. 377
40.00	Set a temp. post for the cor. of 1/4 sec.
79.87	Interscut the A & J line 39 miles North of the post. corner of Ls. 27, 28, 33, & 34
	Same soil and timber similar to the last mile.

West	On the true line between Ls. 28 & 33 S. N. 10. M.R. N. 377
39.93	Set the temp. post at the ave. dist. on the true line for the cor. of 1/4 sec. from which a Rock 3 in. dia. bears S. 89 E. 14 miles west; 1 a.
	110 - " " \$8877.33" "
79.87	To the post cor. of sections 28, 29, 32 & 33.

West	Between Ls. 29 & 32 S. N. 10. M.R. N. 377.
9.00	To a Spring branch. Contra S.
40.00	Set a post for the cor. of 1/4 sec. from which a Rock 5 in. dia. bears N. 70 E. 13 miles west; 1 a.
	110. 4" " \$5377.13" "
70.10	To the Left Bank of White River set a post for the cor. of Ls. 29 & 32 from which a Hackberry 12 in. dia. bears N. 53 E. 19 miles west; 1 a.
	Sugar. 5" " \$19 E. 13" "

464

U. S. No. 10. N. R. N. 3 T. P. Land Mar. Inc.

Most of this mile river bottom of an excellent quality but a small part over. overflows.

80.00 Set a post for the cor. of sec. 29. 30. 31. 13D in White River
Most of this mile bottom; not made good for farming

South On a Random line between Sec. 31 & 32. T. N. 10. R. 37E

5.00 To the Left Bank of White River.

23.00 To the Left Bank

49.50 " " " "

80.44 Intersected the East & West line 82 links West of the post
cor. of sec. 31 13D

Bottom land; South & rolling; L. p. r. a. good farming land.

North On the true line between Sec. 31 & 32. T. N. 10. R. 37E

30.94 Set a post on the Left Bank of White River for the cor.
of sec. 31 13D from which a

Bush 18 in. dia. bears S 74 E. 22 links dist; or
169. 9 " " 166 ft. 9 " "

57.44 Set a post on the Left Bank of White River for the
cor. of sec. 31 13D from which a

Maple. 14 in. dia. bears N 58 E. 3. links dist; 172 ft.
Elm 5 " " 146 ft. 10 " "

73.00 Set a post on the Left Bank of White River for the
cor. of sec. 31 13D from which a

Maple. 12 in. dia. bears East 62 links dist; 1

80.44 To the cor. of sec. 29. 30. 31. 13D in White River.

South & good farming land.

North Between Sec. 28 & 29 T. N. 10. R. 37E

4.000 Set a post for the cor. of sec. from which a

Bush. 9 in. dia. bears N 17 ft. 12 links dist; in

Sug. 12 " " 140 ft. 17 " "

63.87 Set a post on the Left Bank of White River for.

S. N^o 10. N.R. N^o 37. Dm^o Mr. Sod,

the cr. of sw. 28 & 29 from which a
Buckeye 12 in. dia. bears S⁵⁵E 27 barks dist; tan
Cpin 10. " " N⁵⁵E. 35. "

10.04 Set a post on the Right Bank of White River for the
cr. of sw. 28 & 29 from which a
Beech. 24 in. dia. bears N⁶⁴N. 16 barks dist; tan,
W. Oak. 8. " " S¹⁸E. 5. "
81.00 Set a post for the cr. of sw. 21. 21. D. 8 & 29 from which
Beech. 9 in. dia. bears S⁵³E 18 barks dist; tan,
W. Palm 5. " " N⁸⁶N. 10. "
Land good for farming;

West Between Sw. 21 & 28 S. N^o 10. N.R. N^o 37. N. 5. 30'

16.19 Set a post on the Left Bank of White River for a post on the
Bank for the cr. of sw. 21. 28 from which a
Sycamore 12 in. dia. bears S⁶⁶E 13 barks dist; tan,
W. Buck 6. " " S²⁷N. 21. "

East Between Sw. 21 & 28 S. N^o 10. N.R. N^o 37.

4.000 Set a post for the cr. of 1/4 ac. from which a
Sugar 18 in. dia. bears N³⁹N. 17 barks dist; tan,
H. 12. " " S³²N. 30. "

56.16 Set a post on the Right Bank of White River for the
cr. of sw. 21. 28 from which a
Beech. 18 in. dia. bears N¹⁴E. 14 barks dist; tan
Cherry 8. " " S³¹N. 16. ",
P. rate land; bottom.

North Between Sw. 1 & 2 S. N^o 10. N.R. N^o 37. Continues

from the Left Bank of W. River. Set a post on
the Right Bank of White River for the cr. of sw.
1. 7. " from which a

Sycamore 30 in. dia. bears S⁴¹E 3 barks dist; tan

466

T. N° 10. N.R. N° 3 Yrs made Mar. Ind.

81.11

Sycamore in drift beans N55°7'. 3 lbs drift
 Intake at the N. Boundary 116 Yards West of the
 Post cr. of sw. 35136 T. N° 11. N.R. N° 3 Yrs & out.
 a post for the cr. of sw. 140 from which a
 Sugar 14 in drift beans N55°7'. 20 lbs drift; & a
 Log. 4 " " S11°7'. 19, " "
 Some good for farming;

North

Between Sw. 21.823 T. N° 10. N.R. N° 3 Yrs.

16.00

Foot Brook 3 banks wide, Leaven W.

21.00

" " 8 " " "

25.00

" " 6 " " "

40.00

Set a post for the cr. of 14 ac. from which a
 Bush 18 in drift beans S43°7'. 4 banks drift; & a
 Log. 12, " " N43°8.21, "

50.00

Set a post on the Left Bank of White River for the
 cr. to frad. Sw. 21.823. from which a
 Bush 19 in drift beans S98. 21. banks drift; & a
 Elm 14, " " N71°7'. 16, ".
 Some P. st. rate bottom.

North

Between Sw. 14.815 T. N° 10. N.R. N° 3 Yrs.

40.00

Set a post for the cr. of 14 ac. from which a
 W. Ash. 24 in drift beans S50°7'. 10 banks drift; & a
 Bush 18, " " N11°8. 32, ".

80.00

Set a post for the cr. of sw. 10. 11.14 & 15 from which a
 Sugar 19 in drift beans S13°8. 29 banks drift; & a
 W. Walnut 30, " " N13°8. 28, ".

Part of this mil. rather broken with drift logs.

Set out; Amber Bush Sugar Poplar & Walnut

Some good for farming;

West

Between Sw. 10.11.15 T. N° 10. N.R. N° 3 Yrs.

J. N° 10. N.R. N° 3 M. 2nd Mar Ind.

40.00	Set a post for the cor. of 1/4 ac. from which a Sugar 15 mi dist. bears N 75° E. 35 links dist; & a Do. 10 " " S 57° W 34 " "
53.88	Set a post on the Left Bank of White River for the cor. of ac. 10 & 15 from which a Maple. Elm 9 mi dist. bears S 35° W. 10 links dist; & Locust 10 " " N 22° E. 17 " " Same direction to the last mile per rate dist.

West	Between Sec. 15 & 22 J. N° 10. N.R. N° 3 M.
40.00	Set a post for the cor. of 1/4 ac. from which a Sugar 14 mi dist. bears S 15° E. 47 links dist; & Do. 12 " " N 86° W 28 " "
53.00	Loa Brook. 20 links mid., Contra N.W.
65.36	Set a post on the Left Bank of White River for the cor. of ac. 15 & 22 from which a Sugar 10 mi dist. bears N 47° E. 6 links dist; & Mulleberry 10 " " S 76° E. 35 " "

East	On a Random line between Sec. 11 & 14 J. N° 10. N.R. N° 3 M.
3.51	Loa Brook 10 links mid., Contra N.W.
40.00	Set a temp. post for the cor. of 1/4 ac.
81.32	Intersect the N & S line 19 links North of the post cor. of sec. 11. 10. 13 & 14 Same high, some sink holes, rock soil good for farming. Same sugar, Poplar, Walnut &c

West	On the true line between Sec. 11 & 14 J. N° 10. N.R. N° 3 M.
40.66	Set the temp. post at the ave. dist in the true line of the cor. of 1/4 ac. from which a Beech 18 mi dist. bears N 29° W. 18 links dist; & Sugar 13 " " S 33° E. 26 " "
81.33	To the post cor. of ac. 10. 11. 14 & 15

T. N^o. 10. R. N^o. 3 W. 2nd Mer. Land

North	Bottom Lw. 10. 11 T. N ^o . 10 R. N ^o . 3 W.
5.00	To a Brook 15 miles due, Comes N ^W
16. 50	" " Spring Comes 17.
37. 00	To a Brook in the River.
40. 00	No half mile or $\frac{1}{4}$ less on in the River.
62. 40	Set a post for the cor. of sec. 10 & 11 on the Left Bank of White River from which a
	Sycamore 36 in. dist. from S 86 E. 20 back dist; 12
69. 15	to a Cottonwood on the Right Bank of White River for the cor. of sec. 10 & 11
80. 00	Set a post for the cor. of sec. 2, 3, 10 & 11 from which a
	Sycamore 36 in. dist. from N 73 E. 23 back dist; 12
	No. 30 " " N 43 E. 22 "
	North h. overflowed bottom; South p. rich alluvial ground for farming;

East	On a Remainder line between Sec. 2 & 11 T. N ^o . 10 R. N ^o . 3 W.
8. 15	To the Right Bank of W. River; intersect 4 m dist.
	Stand on the cor. of sec. 2 & 11
14. 00	To the Left Bank of W. River
40. 00	Set a temp. post at the cor. of 1/4 ac.
81. 60	Intersect the N & S line 20 rods S. of the post cor. of sec. 1, 2, 11, 21 &
	Land's cut and good for farming; Timber Sycamore, Walnut, Beech &c. Some sink holes.

West	On the line between Sec. 2 & 11 T. N ^o . 10 R. N ^o . 3 W.
40. 80	Set the temp. post at the cor. dist on the line between the cor. of 1/4 ac. from which a
	Beech 10 in. dist. from S 33 W. 16 back dist; 12
	No. 15 " " N 33 E. 20 "
64. 00	Set a post on the Left Bank of White River for the cor. of sec. 2 & 11 from which a

S. N. 10 S.R. N. 3 W. 2nd Mer., Ind.

	Beech 7' in. diam. trees 140 ft. 4 inches dbh; 72, 110 18" " " 166 ft. 15" "
81.60	Total post in of Sec. 2, 3, 11 & 12
North 6.00	Petrom Lst. 203. T. N. 10. S.R. N. 4 W. 4645 Set a post on the Right Bank of White River for the cor. of sec. 2 & 3 from which a Sycamore 24 in. diam. trees 144 ft. 30 inches dbh; Lat Box Elm 10" " 88 ft. 25" "
36.00	Set a post on the Right Bank of W River for the cor. of sec. 2 & 3 from which a Maple 9 in. diam. trees 161 ft. 11 inches dbh; 72, Sycamore 18" " 97 ft. 30" "
40.00	Set a post for the cor. of 74 sec. from which a Buckeye 13 in. diam. 148 ft. 39 inches dbh, Oak Elm 24" " 124 ft. 38" "
80.89	Intersect the N Boundary 148 inches West of the post cor. of sec. 34 & 35 T. N. 11. S.R. N. 3 W. Set a post for the cor. of sec. 2 & 3 from which a Beech. 19 in. diam. trees 175 ft. 10 inches dbh; 72, 110 9" " 117 ft. 19" " This mile mostly over flooded bottom;
North 40.00	Petrom Lst. 20. & 21 T. N. 10. S.R. N. 3 W. Set a post for the cor. of 74 sec. from which a Beech 7' in. diam. trees 164 ft. 4 inches dbh; 72, 110 15" " 187 ft. 22" "
80.00	Set a post for the cor. of sec. 16, 17, 20, & 21 from which Beech. 14 in. diam. trees 173 ft. 10 inches dbh; 72, 110 8" " 198.31" " Sand South 3/4 first rate bottom. 1 1/4 miles east of hills;

P.R. 10. M.R. N° 3 M. 2nd Mar. Ind.

East	Between Ls. 16 & 21 S. R. 10. M.R. N° 3 M. 175.30
40.00	Set a trap. post for the cor. of 16 m. from which Sugar 8 m. dist. bears S 50° E. 15 mts dist; & a Beech 10 " " " S 40° E. 13 " "
80.00	Set a post for the cor. of Ls. 15, 16, 21 & 22 from which an Elm 14 m. dist. bears S 29° E. 26 mts dist; & a Sugar 18 " " " N 48° E. 20 " , West of 3rd road hill; East of good bottom land

South	Between Ls. 21, 19 & 1 R. 10. M.R. N° 3 M.
2.61	Set a post on the Right Bank of M. River for the cor. of tract. Ls. 21 & 22 from which a PB Walnut 30 m. dist. bears S 87° E. 15 mts dist; & Beech 14 " " " N 12° E. 27 " "

East	Between Ls. 15 & 22 S. R. 10. M.R. N° 3 M.
5.26	Set a post on the Right Bank of M. River for the cor. of tract. Ls. 15 & 22 from which a Elm 10 m. dist. bears S 34° E. 13 mts dist; & a PB Walnut 36 " " " N 47° E. 11 " .

North	Between Ls. 15 & 16 S. R. 11. M.R. N° 3 M. v. 7.00
40.00	Set a post for the cor. of Ls. 16. from which a Sugar 14 m. dist. bears N 49° E. 11 mts dist; & a Beech 6 " " " S 39° E. 23 " "
80.00	Set a post for the cor. of Ls. 9, 10, 15 & 16 from which Walnut 14 m. dist. bears S 61° E. 18 mts dist; & a Beech 11 " " " S 65° E. 27 " " Sand hills; West mts. Santa Barbara, Beech, Sugar, Poplar &c

East	Between Ls. 10 & 15 S. R. 10. M.R. N° 3 M.
7.50	From Brook 15 mts mts., Loma S. E.

471

V. N° 10. N.R. N° 377 2nd Mar Ind.

15.00	Set apart on the Right Bank of White River for the cor. of front. sec. 10 & 15 from which a Chain 24 m. dist. has N 50 E. 21 mts. due S. & 23 Buckeye 9", " " S 24 E. 25 " " Lands bottom which overflows
North	Between Ls. 9 & 11. I. N° 10 N.R. N° 377.
24.00	To Oak Brook 15 miles down river N.E.
4.000	Set apart for the cor. of 1/4 sec. from which a Buck. 12 m. dist. has S 46 W 10 mts. due S. & Ls. 9" " " N 39 E. 24" "
72.00	To Oak Brook 15 miles down river S.E.
80.00	Set apart for the cor. of sec. 8. 9. 16 & 17 from which a Buck. 9 m. dist. has N 26 E. 10 mts. due S. & Buck. 11" " " S 61 W. 9" " Lands 3 rd rate hills;
North	Between Ls. 16 & 17 I. N° 10 N.R. N° 377. Paid on
40.00	Set a temp. spot for the cor. of 1/4 sec.
56.00	To Oak Brook 8 miles on rd., corner E.
65.00	" " Ls. 8" " " E.
80.83	Introduce the E 87 N. line 10 mts. East of the first cor. of sec. 8. 9. 16 & 17. Lands 3 rd rate hills.
South	On the true line between Ls. 16 & 17 I. N° 10 N.R. N° 377
40.40	Set the temp. spot at the corner due on the true line for the cor. of 1/4 sec. made the cor. on an R. Oak. 24 m. diam.
80.83	To the first cor. of sec. 16 17. 20 & 21.
North	Between Ls. 8 & 9 I. N° 10. N.R. N° 377. V. 7.00.
12.00	To Oak Brook 15 miles miles, corner S.E.

472

P. N. 10. N. R. N. 3 M. 2nd Mar. 1912

- 40.00 Set a post for the cor. of 1/4 ac. from which a
Buck 10 in deer. bears S77E. 15 links dist; &
N. Oak. 26, " " N72N. 20, "
- 80.00 Set a post for the cor. of sec. 4, 5, 8 & 9 from which a
Buck 9 in deer. bears S7E. 28 links dist; &
120.10 " " N78N. 4, "
- Same soil and timber same as last mile

- North Between Sec. 4 & 5 T. N. 10. M. R. N. 3 N.
40.00 Set a post for the cor. of 1/4 ac. from which a
Sugar. 8 in deer. bears N71N. 6 links dist; &
Buck 16, " " S12E. 28, "
- 79.18 Into cut the N Boundary 65 links West of the
post cor. of sec. 32, 33, T. N. 11. M. R. N. 3 N. and set
a post for the cor. of sec. 4 & 5 from which a
Buck 10 in deer. bears N81E. 21 links dist; &
120.9 " " N61N. 16, "
- East for farms in last mile; N. good for farm?

- East Between Sec. 4 & 9 T. N. 10 M. R. N. 3 N.
40.00 Set a post for the cor. of 1/4 ac. from which an
Elm 5 in deer. bears S78N. 32 links dist; &
Sugar. 13, " " S13E. 32, "
- 80.00 Set a post for the cor. of sec. 3, 4, 9 & 10 from which a
Buck 14 in deer. bears S. 64E. 34 links dist; &
W. Ash. 10, " " N44N. 31, "
- This mile low steep hills; rich soil.

- South On a Random line between Sec. 9 & 10 T. N. 10 M. R. N. 3 N.
35.00 Trail Brook 8 links wide; Emma E.
79.54 Into cut the E & W line 5 links East of the post,
cor. of sec. 9, 10, 15 & 16.
Part bad land; low hills; rich soil & good farming land

I. N. 10 A.R. N. 37. 2nd Mer. Ind.

Timber Sugar, Prabonk, Ash, Poplar &c

North Between Sec. 9 & 10 I. N. 10 A.R. N. 37. true line
39.89 Set the trap. 7' apart at the ave. dist. on the true line
from the cor. of 1/4 sec. from which
Beech. 18 in air. bears N. 34° W. 11 miles dist; 1/4
Ld. 12, " " \$49 E. 38, "

79.64 In the part cor. of sec. 3, 4, 9 & 10.

North Between Sec. 3 & 4 I. N. 10 A.R. N. 37. V. 9.00
21.08 In a Brook 30 Miles N.W. Coroma E.
40.00 Set a post for the cor. of 1/4 sec. from which a
W. Ave. 30 in air. bears S. 26° W. 7 miles dist; 1/4
Sugar. 14, " " \$69 E. 32, "
79.90 Into east the N. Boundary of I. N. 10 A.R. N. 37
15 miles West of the part cor. of sec. 3 & 4 I. N.
11 A.R. N. 37 and set a post for the cor. of
sec. 3 & 4. from which a
Beech 6 in air. bears N. 1 E. 10 miles dist; 2/4
Ld. 18, " " \$19 W. 25, "
Sand bottom ridge or hills; Timber Beech Sugar
Oak &c.

East On a Random line between Sec. 3 & 10 I. N. 10 A.R. N. 37
40.00 Set a trap. 7' apart from the cor. of 1/4 sec.
77.85 Into east the N. & S. line 2 1/2 miles North of the part
cor. of sec. 2, 3, 10 & 11
Sand bottom ridge; East 1/2 bottom land

West On the true line between Sec. 3 & 10 I. N. 10 A.R. N. 37.
38.90 Set the trap. 7' apart at the ave. dist. on the true line
from the cor. of 1/4 sec. from which a
Beech. 9 in air. bears S. 78° W. 4 miles dist and a

P. M. O. N. R. N. 3 M. 2nd Mar. End.

77.85

Mt. Ash 14 in dist. bens A 84 E. 14 hds. dch; ~~100~~
Set apart on the cor. of sec. 3. 4. 9 & 11.

West

Bottom Sec. 20 & 29 T. N. 10 M. R. N. 377.

40.00 Set apart from the cor. of 1/4 sec. from which a
Sugar 16 in. dist. bens. A 55 N. 14 hds. dch; 1/2,
Q. o. 16. " " A 77 E. 39 " "

61.00 South Brook. 15 bank mds. Corner S.

80.00 Set apart from the cor. of sec. 19. 21. 29 & 30 from which
Hickory 14 in dist. bens. A 67 N. 14 hds. dch; 1/2,
Q. o. 11 " " A 89 E. 10 " "
This mile bottom lands; front overflows.

West

Bottom Sec. 19 & 30 T. N. 10 M. R. N. 377. v. 5. 30

14.00 Set apart from the cor. of 1/4 sec. from which a
Sugar 20 in dist. bens. A 70 N. 13 hds. dch; 1/2,
Logwood 3 " " A 87 E. 18 " "

78.33 Intersect the West Boundary 232 links North of the
east cor. of sec. 24 & 25 T. N. 10 M. R. N. 4 M. Set
apart from the cor. of sec. 19 & 30 from which a
Sugar 19 in dist. bens. A 78 E. 28 hds. dch; 1/2,
Beech 15 " " A 127 N. 25 " "
Soils low, flats; good for farming; fast red;
Timber Buckeye, Poplar, Oak etc.

South

Bottom Sec. 29 & 30 T. N. 10 M. R. N. 377.

40.00 Set apart from the cor. of 1/4 sec. from which a
Beech 6 in dist. bens. A 78 E. 21 hds. dch; 1/2,
Q. o. 13 " " A 88 N. 15 " "

78.25 Set apart on the Right Bank of W. River on the
cor. of sec. 29 & 30 from which a
Maple 11 in dist. bens. East 15 bank dch; 1/2,
Sycamore 15 " " A 83 N. 30 " "

C. N. 10 M.R. N.B.M. 2nd Mar. Ind.

This will a high upland. rich soil; Juniper, Sago Oak, Beech & Poplar.

West	Between Sec. 30 & 31. I N. 10 M.R. N. 377.
2.00	Set a post on the Right Bank of Matt River fr the cor. of sec. 30 & 31 from which a Hickory 17 in dia. has N 137 E. 33 back north; ray Sugar 9 " " N 57 E. 11 " "
4.00	Set a post on the cor. of 1/4 sec. from which a Walnut 9 in dia. has N 85 E. 17 back north; ray Loc. 4 " " N 387 N. 14 " "
78.83	Intersect the N & S or Range line 1/4 back North of the post cor. off sec. 25 & 36 I N. 10 M.R. N. 477 and set a post for the cor. of sec. 30 & 31 from which a Sugar 10 in dia. has N 297 N. 11 back north; ray Loc. 12 " " East 15 " " Same R.R. rate; Juniper Ash, Walnut & Hackberry Some little broken
West	Between Sec. 17 & 20 I N. 10 M.R. N. 377.
5.00	On Brook. Banks mixed, former S.
4.00	Set a post for the cor. of sec. 14 from which a Maple 10 in dia. has N 81 E. 11 back north; ray Beech 12 " " N 287 N. 16 " "
53.00	On small brook. former S.
8.00	Set a post on the cor. of sec. 17, 18, 19 & 20 from which Hickory 6 in dia. has N 37 E. 11 back north; ray Loc. 18 " " N 87 N. 12 " " Same R.R. rate per step hill; West in last Juniper Beech Oak do not good for farming
South	On all manner line between Sec. 19 & 20 I N. 10 M.R. N. 377
4.00	Set a trap post on cor. to 1/4 sec. A Brook 15

C. N. 10 M. P. N. 3 M. 2nd Mer. Ind.

- Strips mine, Cormier & Co.
79.91 Starts east the Et M line 45 miles East of the fresh
end of R.R. 19. 20. 29. 30.
This mile 2nd rate bottom land.

- North On atown line Between Sat. 19 & 20 I. N.Y. 10. M.R. 37.
 39.95 Set a trap. 9' east of the road ditch on the town line off
 the cor. of 1/4 sec. from marsh.
 M.Y. Bush. 7 mi. due. bears. N 35° W. 5 miles ditch; 1/2
 Hect. 9" " " d 60 E. 46" "
 79.91 Set traps on. off cor. 17. 18. 19 & 20.

- West Pittman Sat. 18.8.19 I.M. 11. A.R. N. 371.
16.00 Took Brook. 15 miles west, course S.E.
40.00 Set a post on the cor. of $\frac{1}{4}$ ac. from which a
Beech 7 in dia. bears N 92 E. 16 lbs dead; ra,
Nativity 9" " " \$23 E. 5" "
78.07 Intersect the W Boundary. 282 links North of the
West cor. of sec. 13 1824 I.M. 10 A.R. N. 471. and
set a post on the cor. of sec. 18 1849 from which a
Beech 11 in dia. bears S 19 E. 9 links dead; ra,
W. Oak. 18" " " \$77 N. 11" "
Sandstone in low hills; good deal broken in low
parts; good soil; timber Beech, Sugar, Poplars,

- North Between Sat. 17. & 18. J. N. 10 S. R. N. 377. W. 7. 00.
 8.08 Log Brook. Glauk. made do. S. 77
 100.08 Set apart from cor. of 1/4 sec. from which a
 Beech 7 in. diam. bears S. 51 E. 3 hrs. dist; 100
 do. 7", " " S. 54 N. 2", "
 80.00 Set apart from cor. of sec. 7. 817 & 18 from which a
 Beech. 6 in. diam. bears. N. 88 E. 6 hrs. dist; 100
 do. 10", " " N. 71 N. 18", "

477

I. N. 10. N.R. M. 37. 2nd Mer. Sud's

East On all Random line between Ls. 8617 & N. 10. N.R. M. 37.
 4.000 Set a trap post for the cor. of 1/4 ac.
 79.57 Int. cut the N. 37 line 26 links South of the post,
 cor. of sec. 8. 9. 16 & 17
 Found bear tracks; timber snow; soil good or rather

West On the town line between Ls. 8617 & N. 10. N.R. M. 37.
 39.78 Cut the trap post at the cor. int. on the town line
 for the cor. of 1/4 ac. from which a
 B. Walnut. 24 in dia. tree N 48 E. 25 lbs dbh;
 Sugar. 12" " " 845 ft. 9".
 79.57 To the post cor. of sec. 7. 8. 17. & 18

West Between Ls. 7. & 8. I. N. 10. N.R. M. 37.
 2.50 To a Brook 8 links wide, former S.
 4.000 Set a post for the cor. of 1/4 ac. from which
 W. Oak. 14 in dia. tree N 33 E. 15 links dbh; 12"
 W. Oak. 18 " " " N 83 ft. 31" "
 77.62 Int. cut the West Boundary 251 links North of the
 post cor. of sec. 12 & 13. I. N. 10. N.R. M. 47. and set
 a post for the cor. of sec. 7 & 18 from which
 Beech. 9 in dia. tree. N.E. 18 links dbh; 12"
 12. 4 " " " 819 ft. 23" "
 Found soil and timber snow as last mile.

North Between Ls. 7. & 8. I. N. 10. N.R. M. 37.
 4.000 Set a post for the cor. of 1/4 ac. from which
 Beech. 11 in. dia? tree 816 ft. 19 links dbh; 12"
 12. 12. " " " N 55 ft. 14" "
 80.00 Set a post for the cor. of sec. 5. 6. 7. 8. from which
 Sugar. 12 in dia. tree 858 ft. 26 links dbh; 12"
 12. 12. " " " N 40 ft. 18" "
 Found madding bark some part rather broken

D.W. 10 N.R. N. 3 M. 2nd Mer. Ind.

Imita Oak, Buck Sugar Co.

October 8 1815.

- West Between Ls. 25 & 36 I. N. 10 N.R. N. 3 N.
 40.00 Set a post for the cor. of 1/4 ac. from which a
 Bush 8 in dia. bears \$78 E. 8 bush rods; 2 ac.
 10.0. 9. " " \$697 N. 22. "
 50.50 To a Bush 25 bush rods, corner N.
 80.00 Set a post for the cor. of eas 25, 26, 35 & 36 from which
 a Poplar 48 in dia. bears \$46 E. 4 bush rods; 1 ac.
 Bush. 16 " " \$567 N. 14. "
 Sand & gravel and sandstone for farming; lumber oak
 & Bush firewood;

- South On a Random line between Ls. 35 & 36 I. N. 10 N.R. N. 3 N.
 40.00 Set a trumpet post for the cor. of 1/4 ac.
 43.50 To a Bush. 20 bush rods, corner N.
 80.25 To a post the E of N line 14 bush rods of the post cor.
 of eas. 35 & 36
 Sand & gravel and timber of same as last line.

- North On a line between Ls. 35 & 36 I. N. 10 N.R. N. 3 N.
 40.12^{1/2} Set the trumpet post at the aro. side on the true line
 for the cor. of 1/4 ac. from which a
 Bush. 5 in dia. bears \$53 E. 24 bush rods; 1 ac.
 10.0. 8. " " \$72 N. 20. "
 80.25 To the post cor. of eas. 25, 26 35 & 36.

- West Between Ls. 26 & 35 I. N. 10 N.R. N. 3 N.
 40.00 Set a post for the cor. of 1/4 ac. from which a
 Hickory 10 in dia. bears \$19 E. 5^{1/2} bush rods; 1 ac.
 Bush 9 " " \$397 N. 6. "
 80.00 Set a post for the cor. of eas 26, 27, 34 & 35 from which

S. N. 18 R.R. N. 3 M 2nd Mon. Sec.

a Mt. Oak 18 in dia. bears S 15° W. 11 links dist; & a
Buck 10 " " " N 11 E. 5 " "
Same soil and timber form as last mile.

South On a Random line between Sec. 34 & 35. T. N. 10. R. 3. W.
40. 00 Set the temp^c post for the cor. to 1/4 Sec.

80. 68 Intersected the E. & W. line 60 links W. of the post set for the
Cor. of Sec. 34 & 35. Land same as on the last mile.

North On a true line between Sec. 34 & 35. T. N. 10. R. 3. W.
40. 34 Set the temp^c post on the true line at the ave. dist. for 1/4 Sec.
Cor. from which a
Buck 4. in. diam. bears S. 8 E. 5. links dist. of a
Do. 9. " " " N. 10. W. 36. "

Oct. 9th 1815.

South On a Random line between Sec. 26 & 27. T. N. 10. R. 3. W.
40. 02 Set the temp^c post for the cor. of 1/4 Sec.
70. 50 To a Buck 15. links wide. Course W.
79. 81 Intercept the E & W. line 60 links W. of the post cor. of
Sec. 26, 27, 34 & 35. Same soil and timber as last mile
Timber Oak, Ash, Buck, & Hick.

North On the true line between Sec. 26 & 27 T. N. 10. R. 3. W.
39. 90 Set the temp^c post at the ave. dist. on the true line
for the cor. of 1/4 Sec. from which a
Buck. 5 in dia. bears - S 11 E. 10. links dist; & a
Hick. 10 " " " N 7 E. 11 " "
79. 81 To the post cor. of sec. 22, 23, 26 & 27

West Between sec. 22 & 27 T. N. 10. R. 3. W.

40. 00 Set a post for the cor. of 1/4 Sec. from which a
Sugar. 12 in dia. bears S 54 W. 17 links dist; &

S. N. 10 M.R. N. 37N. 2nd Mar. Ind.

- 80.00 Sugar 10 in dist. from N13E. 21 miles dist; ran
Set a post for the cor. opp. 21, 22, 27 & 28 from which
a sugar 14 in dist. bears N18W. 4 lbs. dist; then
11.0. 14" " " \$38E. 19" "
Sand hills, soil rich, timber Clark, Ash, Poplar
Buck. & Sugar.

- South Between Lw. 27, 228 S. N. 10 M.R. N. 37N.
15.00 To a Brook 12 miles mid. Contra N. West,
40.00 Set a post for the cor. of 1/4 sec. from which a
Bush 11 in dist. bears N11E. 16 miles dist; then
11.0. 11" " " \$137. 26" "
140.50 To a Brook 10 miles mid. Contra W.
65.50 " " Small Brook. Contra N.W.
80.00 Set a post for the cor. opp. 27, 28, 33 & 34 from which
a N.E. 1/4 in dist. bears Bush 11 miles dist; then
Bush 4" " " \$897. 24" "
Sand & soil well timber some as last incl.

- South On a Random between Sec. 33 & 34 S. N. 10 M.R. N. 37N.
40.00 Set a temporary post for the cor. of 1/4 sec.
71.00 To a Brook 5 miles mid. Contra West
80.00 Intersect the E & W line 35 miles East of the post cor.
of Sec. 34 & 35.
Sand & very hilly; thin soil timber & Buck.

- North On the line between Sec. 33 & 34 S. N. 10 M.R. N. 37N.
40.00 Set the temporary post at the worn dish in the tree line
for the cor. of 1/4 sec. from which
Bush 9 in dist. bears N25W. 29 lbs. dist; then
Marsh. 14, " " " \$13E. 2" "
80.00 Set the post on the line between Lw. 27, 28, 33 & 34

481

N. No 10 N.R. N. 377 2nd Mar. Ind.

East	On a Random line between Lat. 37° 13' 4 S. N. 10 N.R. N. 377 To a Brook - bank side, same N.W. Set a temp. spot on the cor. of 1/4 ac. To a Brook - bank side, same N. Intersect the N & S line 35 miles North of the post cor. of sec. 26. 97. 34. 835 Sund very chilly; Cotton Oak, Beech, Hickory & Sugar
West	On a Random line between Lat. 27° 13' 4 S. N. 10 N.R. N. 377 Set the temp. spot at the ave. dist. on the true line for the cor. of 1/4 ac. from which a Beech 15 in air bears 82. 6. 21 miles dist; or, 12 a. 11. " " N 15° E. 5 " "
East	On a Random line between Lat. 5° 18 S. N. 10 N.R. N. 377 Set a temp. spot on the cor. of 1/4 ac. Intersect the N & S line 17 miles South of the post cor. of sec. 4. 5. 849 Sund middle; Cotton Marshy Beech, Lime Poplar Sugar Oak, & Ash, 2 nd rate soil.
West	On the true line between Lat. 5° 18 S. N. 10 N.R. N. 377 Set the temp. spot at the ave. dist. on the true line for the cor. of 1/4 ac. from which a Beech 10 in air bears 858 N. 12 miles dist; or, W. Oak, 36. " " N 76° E. 5 " " To the post cor. of sec. 5. 6. 788.
West	Between Lat. 6° 7 S. N. 10 N.R. N. 377 var. 350 To a Brook 5 miles side, same S.E. Set a spot on the cor. of 1/4 ac. from which a Sugar 10 in air bears 870 E. 35 miles dist; or, Llo. 13. " " N 127° E. 37 " "

S. N. 10 M.R. N. 377. 2nd Mer. Sec's

16.72 Into sec. the N. Boundary of 377 runs North of the stream
on of sec. 1. 10 T. N. 10 M.R. N. 477 and sec.
except for the cor. Sec. 167 from which
begin 8 mi. due South S. 7 E. 17 runs west; then
Logwood 5 " " " N. 657. N. " "
Same drift and banks same as last mile. Sp. broken

North Between Sec. 5 & 6 T. N. 10 M.R. N. 377.
40.00 Set a post for the cor. of 167. from which a
Buck. 4 mi. due. bears S. 86 E. 17 South west; then
10.0. 11. " " S. 887. N. 16 " "
18.03 Into sec. the N. Boundary at the post set for the
cor. of sec. 31. 639 T. N. 11 M.R. N. 377.
Same drift and banks same as last mile; Sp. broken

Meadows of White River. Right Bank
Commenced at the Township Line Between T. 310840
N Range 28377. thrown down stream on Sec. 1

N. 477. 4.07

N. 677. 6.24

S. 807. 7.28

S. 747. 6.91

In Sec. 1.

N. 787. 11.24

N. 607. 7.19

N. 437. 8.03

N. 697. 8.17

N. 857. 5.48

S. 697. 5.48

S. 527. 9.11

N. 607. 7.27

N. 427. 3.88 To the post cor. of sec. 162. thence

N. 537. 4.25

D. N. O. 10. D. R. N. 377. 2nd Mar. Ind.

N64 N.	264	in Sec. 2.
S73 N.	4.84	
S67 N.	245	
S49 N.	7.00	
S88 N.	4.43	
S87 N.	2.96	
S76 N.	5.49	
S40 N.	7.00	
S86 N.	3.34	
S80 N.	3.13	
S69 N.	13.06	
S45 N.	8.20	
S57 N.	322	
S44 N.	8.36	
S31 N.	13.74	
South	0.74	To post in line of sec. 283. v 5.25'

S43 N.	867	
S16 N.	8.50	
S38 E.	4.81	in Sec. 3.
S36 E.	673.	
S31 E.	3.50	
S61 E.	3.10	
S30 E.	0.40	To the post in line of Sec. 283. v. 5.25'.

S64 E.	8.76	in Sec. 2
S58 E.	2.09	
S19 E.	0.50	To the post in line between Sec. 2811 - v. 5.25'

S52 N.	9.60	in sec. 11
South	0.50	To the post in line of sec. 10411. v. 5.25'

S86 N.	9.59	in Sec. 10
--------	------	------------

S. N° 10 M.R. N° 377. 2nd Mm. Ind.

S21 N.	2.30	
S56 N.	1.68	
S80 N.	2.51	
South	5.26	
S4 E.	3.73	
S4 N.	7.37	
S39 E.	5.08	In Sec. 10
S57 E.	9.79	
S47 N.	15.21	
S37 N.	7.34	
S53 N.	11.00	
S45 N.	9.37	
S78 N.	12.94	
S48 N.	3.60	
S44 N.	5.84	
S49 N.	6.50	
S66 E.	0.63.	To the post in line between Secs 10 & 15. N. T. & 10!

S24 N.	6.31	
S7 E.	6.41	
S28 E.	6.78	In Sec 15
S28 N.	1.73	
S12 N.	6.71	
S34 N.	3.86	
S23 N.	5.15	
S10 E.	37.24	
S62 N.	5.93	
S53 N.	8.18	
S24 E.	0.57	To post in line open 15 & 22 times

S-N.
—
the areas in Sec. 22. 484 Bk. are omitted
from the air off lat. 21 12 30' times

S56 N. 3.81

485

P. N° 10. S.R. N° 377. 2^o Mer. Indiana.

S60 N.	5.79	
S48 N.	7.04	
S654 N.	3.91	
S45 N.	8.50	
S11 N.	7.70	In Sec. 21.
South	6.39	
S3 E.	13.25	
S2 N.	17.02	
S3 E.	14.28	
East	8.39	To the part in line between Secs 21 & 28.

S5 N.	4.16	
S26 N.	3.46	
S68 N.	7.03.	In Sec. 28
S77 N.	10.30	
S86 N.	25.57	at 13. ch. 1.50 lbs to the ton
S77 N.	9.15	
S86 N.	3.49	
South.	8.15	To the part in line of Sec. 29 & 28.

Members of the Right Bank. Continued Commenced in the form line in Sec. 31. P. N° 10. N.		
R. N° 3 N. three up stream.		
S89 E.	3.26	
East	3.16	
S85 E.	2.40	
S76 E.	1.27	
S83 E.	2.98	In Sec. 31
S69 E.	5.90	
S74 E.	3.34	
S64 E.	19.83	at 950 on this over 2.00 ch. ton
S84 E.	3.57	
S82 E.	7.62	

P. N. 10. M.R. N. 3 N. 2nd Min (Sud.)

Eash.	369	
S82E.	17.56	
N77E.	8.44	
N42E.	3.30	In sec. 31
N67W.	8.18	
N28W.	6.78	
N24W.	6.50	
N9W.	8.62	
N2E.	2.45	
N20E.	1.93	
N17E.	4.26	
N30E.	3.50	
N39E.	3.85	
N33E.	1.811	To the post in line cor. of sec. 29130.

N46E.	31.33.	
N3E.	6.29	
N37W.	8.70	
N33W.	6.72	
N21W.	4.49	
N27W.	8.14	
N8E.	15.70	
N57W.	3.50	In sec. 29.
N44E.	4.50	
N73E.	3.24	
N89E.	8.06	
S79E.	6.10	
S82E.	1.948	
S76E.	5.66	
S67E.	0.50	
S85E.	10.19	
S89E.	9.30	
S84E.	4.27	

D. N. 10. M.R. No 3 N. D^m.th Mar. Land.

Meanders of the Left Branch of White River
Commenced at the post in line below Sec. 182. three
 S 68 E. 9.54 at 900 ch. Spring; Converg. N. 100 ths. min.
 N 57 E. 15.58 at 750 - 250 ch. to the river.
 S 45 E. 19.04 up stream
 S 65 E. 9.81
 S 82 E. 13.43 In. 1.
 S 87 E. 6.35
 S 80 E. 4.30
 N 83 E. 4.80 at 400 about 20 ths. min.
 N 70 E. 8.61 To the Range below T^h 10 N 10 M R 21 3 N.
 North 1.50 To the River.

Commenced at the cor of sec. 25 11 River up stream
 N 77 N. 4.28 in sec. 2
 N 35 N. 2.50
 N 54 N. 17.42
 N 8 N. 2.80
 N 1 N. 3.45
 N 38 E. 35.53 at 17 ch. 2 ch. to the river.
 N 59 E. 9.57
 N 75 E. 5.02
 N 82 E. 1.99
 S 77 E. 1.57 upper end of Island
 N 68 E. 23.05
 S 80 E. 10.90
 S 52 E. 6.41
 S 58 E. 5.86
 S 73 E. 3.50
 North 0.19 To the cor of sec. 182.

Commenced at the cor of sec. 25 11 River down
stream in sec. 11.

D. N. 10. APR. 3 '77. 2nd Mer. Ind.

S137N.	5.34	
S237N.	4.50	In sec. 11
S147N.	1.94	
S227N.	3.24	
S427N.	3.91	
S427N.	5.39	
S87W	1.06	To the part in line between Secs. 10 & 11.

2538

Commenced at the point in line between Secs.
10 & 15 three up stream in Sec. 10

N40E.	4.57	
N79E.	9.75	
N70E.	7.50	
N60E.	6.21	
N64E.	4.96	
N57E.	5.96	
N48E.	8.15	
N43E.	9.93	at 5.50 brook 15th min.
N38E.	11.63	Intervet the line between Secs. 10 & 11 37.00 rods North of the cor. of sec. 10. 11. 14 & 15 N.T. 10

Commenced at the first cor. of lots 15 & 20 of N. 10
three up stream in Sec. 15.

N13E.	9.34	
N22E.	7.67	
N27N.	5.55	
N137N.	29.68	at 15.00 2.50 to the min
N28E.	3.61	
N18E.	7.31	
N1E.	7.53.	
N78E.	16.48	at 8.00 250 to min
West.	1.71	To the part in line between Secs. 10 & 15

489

S. N. 10. N.R. N. 3 M. 2nd Mon Ind.

	Commence at the cor. of sec. 21.120 thence upstream Lat. 10.00 dep. 14.64.
--	---

	Commence at the cor. of sec. 21.120. thence downstream in Sec. 28.
\$57 N.	13.00
\$36 N.	13.50
\$46.	31.50 A difference of an out in this course between the chain corners; one makes 26.50.
\$18.	20.09
East.	0.55 To the post in line between Sec. 21 & 28. thence

\$5 N.	4.50 in Sec. 28. downstream. Left Bank
\$27 N.	4.50
\$62 N.	7.71
\$67 N.	5.98
\$61 N.	6.50
\$78 N.	7.00
West	16.50
N80 N.	6.00
N79 N.	9.00
West	4.34
North	0.30 To the cor. of sec. 28 & 29 71.5 ⁰ 50' thence

West	11.00 in Sec. 29. Left Bank. downstream
N83 N.	48.50
South	0.50
S80 N.	4.21
S47 N.	2.27
South	13.00
East	0.70
\$19 E.	3.00
\$26 E.	21.74
\$4 N.	8.00

490

T. N^o 10. R^o 18. N^o. 3 M^o. 2nd Mer. Land.

\$14 M ^r .	11.77	
\$24 M ^r .	6.18	
\$43 M ^r .	5.94	
\$65 M ^r .	5.22	
South	0.09	To the cor. of sec. 29, 033 ^r three

S. M^r Latitude 5.00 Sep. 10 The post in line off sec.
31.132^r in sec. 32 three

South	23.00	at 11.50 ch. 1.571 West to the river
S E.	Lat. 15.50	Sep. 7.27
South	9.00	
S M ^r	Lat. 2.00	- Sep. 7. To cor off sec. 31.132 ^r , three
S 56 M ^r	7.55	at 7.00 ch. back 20 ft. N.
N 81 M ^r	8.23.	
S 89 M ^r	10.44	
N 81 M ^r	10.82	
N 75 M ^r	2.511	
N 82 M ^r	2.50	
N 79 M ^r	18.58	
N 70 M ^r	3.11	
N 68 M ^r	8.81	
N 58 M ^r	7.85	
S 87 M ^r	8.25	To Range line between R. 31 & 4 M ^r . Sec. 31.136
		Surveyed by William Harris. L.L.S.

I certify that the foregoing transcript of the field notes of Township N^o 10, North of Range N^o 3 Mer. 2nd Mer. Indiana, has been compared with the original notes in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Dec. 18 1840

C. S. Harris

Sec. Genl. a-3